



Thank you for evaluating
PDF Complete.

[Click Here to purchase
full featured PDF Complete products](#)

PENNING SYSTEMS

PROVEN & DEPENDABLE



WWW.GSIASIA.NET



AGCO
Your Agricultural Company

Plot 238, Jalan Perindustrian Bukit Minyak 6,
Kawasan Perindustrian Bukit Minyak,
14100 Simpang Ampat, Penang, Malaysia.
Tel: 604 505 7598 Fax: 604 505 9879
All a part of GSI, including GSI, GSI Asia, GSI Asia Pacific,
GSI Asia Pacific, GSI Asia Pacific, GSI Asia Pacific, GSI Asia Pacific,
If you have any questions or need more information,
please contact your local representative or visit us online at:
www.gsiasia.net



For more information on AGCO, our products and
services, contact your local representative or visit us online at:
www.gsiasia.net

Chain Disk 塞盘式喂料系统



AP Chain Disk feed delivery systems have the flexibility to adapt to all types of swine production facilities and the ability to overcome performance constraints of other systems.

AP塞盘式喂料输送系统具有灵活性以配合所有类型的养猪生产设施，并有能力克服其它系统的性能约束。



Flexible design 灵活设计

Delivers feed to multiple farrowing rooms, individual sow stalls, electronic sow feed systems and fulfills high volume demands of large finishing facilities.

提供饲料给多个分娩室，个别母猪栏，电子饲料系统和育肥设施的高容量要求。



Stainless steel heavy-duty drive units


高耐用不锈钢驱动装置

High efficiency means more torque with less horsepower decreasing operating cost without sacrificing performance. 在不牺牲性能的情况下降低运行成本，小马力便足以提供大扭矩高效率性能。

Clear corner housings 清晰的90度转角外壳

Provide visual confirmation that the system is operating properly at all times. The patent pending pivoting wiper ensures that feed does not accumulate in the center of the corner housing. Special corner units are available for inclined or vertical installation.

提供视觉以确认系统正常运行。已申请专利的旋转刮器确保饲料不堆积在转角壳体的中心。特别转角可用于倾斜或垂直安装。



* Patent Pending

Auto tensioning 自动拉伸

Automatic chain tensioning system to reduce maintenance and a safety shut off switch should a foreign object gets into the system.

自动拉伸系统能够减少维修必要，如果发现异物堵塞，安全按钮将自动切断。



Chain Disk Tubing 塞链管



Available in three styles of conveyor tubes to meet the requirements of every application.
有三种输送管提供不同的应用要求。

Chain Disk Tube	Fill System	Daily Run Time	Effective Capacity*	Max. System Length** (w/ 8 corners)
PVC Tube	M300 Flex-Flo 25.0 RPM	Up to 100 min/day	Up to 35 lbs (16 kg)/min.	1,500 ft. (460 m)
Welded Steel Tube	M300 Flex-Flo 25.0 RPM	Up to 340 min/day	Up to 35 lbs (16 kg)/min.	1,800 ft. (550 m)
	M300 Flex-Flo 35.8 RPM	Up to 240 min/day	Up to 50 lbs (23 kg)/min.	1,800 ft. (550 m)

Other options 其他配件

PVC Panel PVC 墙板

We offer various length of PVC panel: 35x200/250/500/600/750mm
各种规格的PVC墙板:
35x200/250/500/600/750mm



FRP Support 玻璃钢支撑

We offer various designs of fiber-glass supports of T profile and triangle profile: 100/110/120/135x5mm
各种规格的玻璃钢支撑，有T型和三角型两种：100/110/120/135x5mm



Heating Pipe 散热片

We offer heating pipe of twin pipe and delta pipe with normal anodized and sand anodized.
两翅或三翅散热片，可以普通阳极化处理和磨砂阳极化处理。



Swine floor-slats 猪用地板系统

Cast Iron Slats 铸铁地板

The cast iron slats are specially used in straight configuration farrowing pen systems.
铸铁地板特别适用于直线结构的分娩围栏系统。

Cast iron slats have the advantage of durability and offer solid base.
铸铁地板使用寿命长而稳固。

Size : 600 x 600mm / 600 x 500mm / 600 x 400mm /
300 x 600mm / 600 x 400 close




Plastics Slat 塑料地板

Made of polypropylene plastic (PP).
材料是PP。

Interlockable and ensure a safe and rigid surface.
地板的侧面可以互扣的连接设置，避免刮伤及磨损猪只。

The textured surface prevents slipping. Piglets feel comfortable as the heat conduction of polypropylene plastic is minimal.
表面有防滑处理，该材料的热传导较慢，让猪只感觉很舒服。

For Weaner pig : 600 x 600mm / 600 x 500mm
600 x 400mm / 600 x 200mm
For Sow : 600 x 600mm / 600 x 400mm




Penning Systems 围栏系统

We offer various standard designs of Galvanized Pens.
我们提供各种规格的标准镀锌围栏系统。


Farrowing crates 分娩栏

The large farrowing crate offers optimum space for the modern large sized breeding sows. The outward bent lower tubes provide spacious rest area. The sows are more comfortable and able to recover in time.

分娩栏提供目前大型母猪最佳的整体围栏。向外侧弯曲的底部为母猪提供更大的活动空间及快速地恢复体力。



Size : 2.4m x 1.8m x 1m (PVC Height is 0.5M)



Size : 2.4m x 1.8m x 1m (PVC Height is 0.5M)


Piglets are able to move freely around the sow throughout the entire pen. The piglets can always escape should the sow behaves in an aggressive manner.

小猪同时可以在围栏的四周自由活动。当母猪突然站起或躺下时，小猪可以快速反应，避免踩踏发生。

Gestation Stall 限位栏



P Gestation Stall 喂食管定位栏



Length 2.2m/2.3m/2.4m
Width 0.6m/0.65m/0.7m
Height 1.05m

Exclusive suspended long trough design
独家设计悬空长条喂食槽

Provides maximum space for sows to rest
提供母猪最大的休息空间

Sows can be fed simultaneously
可同时喂食母猪

Provides privacy for individual sow
每只母猪都有其独立空间

Reduces stress
减少压力

Facilitates insemination and pregnancy testing
便于进行受孕和孕检

AG Gestation Stall 悬空式定位栏




Length 2.2m/2.3m/2.4m
Width 0.6m/0.65m/0.7m
Height 1.05m

S Gestation Stall 标准定位栏



Length 2.2m/2.3m/2.4m
Width 0.6m/0.65m/0.7m
Height 1.05m



Weaner Pool 保育栏

The weaner pool offers individual solutions for piglet keeping system.

我们的保育栏能够根据各个时期的小猪保育系统给与独立的解决方案。


Various penning systems, PVC slats, side wall and doors systems enable variable big project planning.

各种围栏系统由塑料地板，热镀锌栅栏或PVC板，围栏门和喂食器等组成，可以根据您的养殖计划提供各种围栏系统。

The length and width will be designed base on the dimension of house



Finisher Penning 育肥栏



The length and width will be designed base on the dimension of house